INDEX TO
EXPERIMENTAL TECHNIQUES
VOLUME 17, 1993

Title Index

Autocalibration of the Setup for the Projected Moiré-fringe Method — K.J. Gåsvik, G.K. Robbersmyr, 36-40 (Mar/Apr).

Brief Approach for Aluminum Alloy Materials in Ultra-high-speed Hole-drilling Technique — C.P. Chou, Y.C. Lin, 17-19 (Sep/Oct).

Building a General Purpose Microcomputer-based Mechanical Measurement System — H.A. Ashour, A.A. Al-Harami, A.A. Rublah, 34-37 (May/Jun).

Circuit to Measure Crack Closure — J.T.P. Castro, 23-25 (Mar/Apr).

Computer-aided Measurement of Flow with Rotameter, LDR and PC Interfacing — R. Maiti, 28-30 (Mar/Apr).

Current Trends in Obtaining Deformation Data from Grids — P.J. Sevenhuijsen, J.S. Sirkis, F. Bremand, 22-26 (May/Jun).

Curvature Measurement of Hydroformed Axisymmetrical Shells Using Shearography — C.J. Tay, H.M. Shang, F.S.Chau, S.L. Toh, 27-29 (Nov/Dec).

Design and Fabrication of Silicon Carbide Split Furnace for High-speed Compression Tests up to 1573K — S.Venugopal, S.L. Mannan, S. Sasidhara, Y.V.R.K. Prasad, 36-40 (Mar/Apr).

Determination of Stress-strain Relationship of Sheet Metal Under Biaxial Tension — C.J. Tay, H.M. Shang, S.K. Shit, 32-35 (Mar/Apr).

Development of a Pressure Gage Based on Piezo Ceramic Material — S. Nie, A. Persson, J. Deng, 13-16 (May/Jun).

Device for Implementing the Strain Gage-hole Drilling Method of Residual Stress Measurement on Aircraft Transparencies — T.J. Whitney, G.J. Stenger, 25-30 (Jul/Aug).

Dynamic Investigation of Force Transducers — R. Kumme, 13-16 (Nov/Dec).

Dynamic Tensile Testing of Sheet Material Using the Split-hopkinson Bar Technique — M.M. LeBlanc, D.H. Lassila, 37-42 (Jan/Feb).

Evaluation of Full Field Automated Photoelastic Analysis Based on Phase Stepping — S.J. Haake, Z.F. Wang, E.A. Patterson, 19-25 (Nov/Dec).

Experimental Investigation of Viscoelastic Damping for Beam Type Accelerometers — B.R. Patton, 41-44 (Jul/Aug).

Experimental Stress Analysis of Fatigue Cracks by SPATE — H.L.J. Pang, 20-22 (Mar/Apr).

Experimental Study on Failure Mechanism of Solid Rocket Motor Propellant Due to Material and Geometric Effects — L. Wang, 37-39 (Sep/Oct).

Flaw Detection of Plasma-sprayed Coating by Holographic Vibration Stressing — T.Y. Chen, W.R. Wang, 27-28 (May/Jun).

High Temperature Resistant Gratings for Moiré Interferometry — A. Kearney, C. Forno, 9-12 (Nov/Dec).

High-cycle Spring Fatigue Test Machine — J.R. Michler, S.R.Bhonsle, 17-19 (Mar/Apr).

High-temperature, High-sensitivity Moiré Interferometry — R. Czarnek, J.J. Wu, S.Y. Lin, J. Lee, 29-33 (May/Jun).

Low Cost Inclinometer — J.T.P. Castro, R.D. Viera, J.L.F. Freire,38-40 (Jul/Aug).

Material Testing by Computer Aided Speckle Interferometry — Y.Y. Wang, D.J. Chen, F.P. Chiang, 30-32 (Sep/Oct).

Mode Decoupling Considerations in Mode Shape Measurements of a Plate with Monoexcitation and Laser Doppler Vibrometer — F.P.Sun, L.D. Mitchell, J.R.F. Arruda, 31-37 (Jul/Aug).

New Technique of Rapid Specimen Grating Making, Y.Kang, Y.Wang, Y. Jia, 31-32 (Nov/Dec).

Note on the Design of Home-made Clip-gages — J.T.P. Castro, 33-36 (Sep/Oct).

Optical Inspection of Defects — U. Isaev, A. Akaev, 19-21 (May/Jun).

Phase Shifting in Photoelasticity — A. Asundi, 19-23 (Jan/Feb).

Shear Difference Using Spreadsheets — P.B. Godbole, 24-25 (Jan/Feb).

Simplified Accelerometer System for Analysis of Human Gait — D.A. Farris, G.C. Urquizo, D.K. Beattie, T.O. Woods, D.G. Berghaus, 33-36 (Jan/Feb).

Simultaneous Measurement of U- and V-Displacement Fields by Moiré Interferometry — Z.K. Guo, A.S. Kobayashi, 21-23 (Sep/Oct).

Some Experimental Techniques to Detect Transition in Boundary Layer Flow — S.H. Winoto, D.A. Shah, S.G. Ang, M. Kamil bin Ishak, 25-29 (Sep/Oct).

Some Improvement on Digital Fringe-multiplication Methods — X. Liu, Q. Yu, 26-29 (Jan/Feb).

Strain Gages - Operating Characteristics — R.L. Hannah, R.T. Reese, 33-35 (Nov/Dec).

Two-dimensional Strain Analysis Using a Video Optical Diffractometer — J.C. Moulder, J.F. Cardenas-Garcia, 11-16 (Sep/Oct).

Use of Photostress to Characterize the Mechanical Behavior of Weldments — S.C. Gambrell, Jr., 15-18 (Jan/Feb).

Use of Thermal Stressing Technique in Holographic Detection of Coating Flaws — T.Y. Chen, W.R. Wang, 30-32 (Jan/Feb).

Use of Vacuum Pressure in Structural Testing — P.W. Khong, L.K. Seah, 26-27 (Mar/Apr).

Voltage-to-frequency Conversion for Telemetric Strain Measurements in Rotating Mechanical Systems — D.A.Hoeltzel, R. Stark, S.Ali, 18-24 (Jul/Aug).

Author Index

Akaev, A. — Optical Inspection of Defects, 19-21 (May/Jun).

Al-Harami, A.A. — Building a General Purpose Microcomputer-based Mechanical Measurement System, 34-37 (May/Jun).

Ali, S. — Voltage-to-frequency Conversion for Telemetric Strain Measurements in Rotating Mechanical Systems, 18-24 (Jul/Aug).

Ang, S.G. — Some Experimental Techniques to Detect Transition in Boundary Layer Flow, 25-29 (Sep/Oct).

Arruda, J.R.F. — Mode Decoupling Considerations in Mode Shape Measurements of a Plate with Monoexcitation and Laser Doppler Vibrometer, 31-37 (Jul/Aug).

Ashour, H.A. — Building a General Purpose Microcomputer-based Mechanical Measurement System, 34-37 (May/Jun).

Asundi, A. — Phase Shifting in Photoelasticity, 19-23 (Jan/Feb).

Beattie, D.K. — A Simplified Accelerometer System for Analysis of Human Gait, 33-36 (Jan/Feb).

Berghaus, D.G. — A Simplified Accelerometer System for Analysis of Human Gait, 33-36 (Jan/Feb).

Bhonsle, S.R. — High-cycle Fatigue Test Machining,17-19 (Mar/Apr).

Bremand, F. — Current Trends in Obtaining Deformation Data from Grids, 22-26 (May/Jun).

Cardenas-Garcia, J.F. — Two-dimensional Strain Analysis Using a Video Optical Diffractometer, 11-16 (Sep/Oct).

Castro, J.T.P. — A Low Cost Inclinometer, 38-40 (Jul/Aug).

Castro, J.T.P. — A Note on the Design of Home-made Clip-gages, 33-36 (Sep/Oct).

Castro, J.T.P.—A Circuit to Measure Crack Closure, 23-25 (Mar/Apr).

Chau, F.S. — Curvature Measurement of Hydroformed Axisymmetrical Shells Using Shearography, 27-29 (Nov/Dec).

Chen, T.Y. — Use of Thermal Stressing Technique in Holographic Detection of Coating Flaws, 30-32 (Jan/Feb).

Chen, T.Y. — Flaw Detection of Plasma-sprayed Coating by Holographic Vibration Stressing, 27-28 (May/Jun).

Chen, D.J. — Material Testing by Computer Aided Speckle Interferometry, 30-32 (Sep/Oct).

Chiang, F.P. — Material Testing by Computer Aided Speckle Interferometry, 30-32 (Sep/Oct).

Chou, C.P. — Brief Approach for Aluminum Alloy Materials in Ultra-high-speed Hole-drilling Technique, 17-19 (Sep/Oct).

Czarnek, R. — High-temperature, High-sensitivity Moiré Interferometry, 29-33 (May/Jun).

Deng, J. — Development of a Pressure Gage Based on Piezo Ceramic Material, 13-16 (May/Jun).

Farris, D.A. — A Simplified Accelerometer System for Analysis of Human Gait, 33-36 (Jan/Feb).

Forno, C. — High Temperature Resistant Gratings for Moiré Interferometry, 9-12 (Nov/Dec).

INDEX TO
EXPERIMENTAL TECHNIQUES
VOLUME 17, 1993

Title Index

Autocalibration of the Setup for the Projected Moiré-fringe Method — K.J. Gåsvik, G.K. Robbersmyr, 36-40 (Mar/Apr).

Brief Approach for Aluminum Alloy Materials in Ultra-high-speed Hole-drilling Technique — C.P. Chou, Y.C. Lin, 17-19 (Sep/Oct).

Building a General Purpose Microcomputer-based Mechanical Measurement System — H.A. Ashour, A.A. Al-Harami, A.A. Rublah, 34-37 (May/Jun).

Circuit to Measure Crack Closure — J.T.P. Castro, 23-25 (Mar/Apr).

Computer-aided Measurement of Flow with Rotameter, LDR and PC Interfacing — R. Maiti, 28-30 (Mar/Apr).

Current Trends in Obtaining Deformation Data from Grids — P.J. Sevenhuijsen, J.S. Sirkis, F. Bremand, 22-26 (May/Jun).

Curvature Measurement of Hydroformed Axisymmetrical Shells Using Shearography — C.J. Tay, H.M. Shang, F.S.Chau, S.L. Toh, 27-29 (Nov/Dec).

Design and Fabrication of Silicon Carbide Split Furnace for High-speed Compression Tests up to 1573K — S.Venugopal, S.L. Mannan, S. Sasidhara, Y.V.R.K. Prasad, 36-40 (Mar/Apr).

Determination of Stress-strain Relationship of Sheet Metal Under Biaxial Tension — C.J. Tay, H.M. Shang, S.K. Shit, 32-35 (Mar/Apr).

Development of a Pressure Gage Based on Piezo Ceramic Material — S. Nie, A. Persson, J. Deng, 13-16 (May/Jun).

Device for Implementing the Strain Gage-hole Drilling Method of Residual Stress Measurement on Aircraft Transparencies — T.J. Whitney, G.J. Stenger, 25-30 (Jul/Aug).

Dynamic Investigation of Force Transducers — R. Kumme, 13-16 (Nov/Dec).

Dynamic Tensile Testing of Sheet Material Using the Split-hopkinson Bar Technique — M.M. LeBlanc, D.H. Lassila, 37-42 (Jan/Feb).

Evaluation of Full Field Automated Photoelastic Analysis Based on Phase Stepping — S.J. Haake, Z.F. Wang, E.A. Patterson, 19-25 (Nov/Dec).

Experimental Investigation of Viscoelastic Damping for Beam Type Accelerometers — B.R. Patton, 41-44 (Jul/Aug).

Experimental Stress Analysis of Fatigue Cracks by SPATE — H.L.J. Pang, 20-22 (Mar/Apr).

Experimental Study on Failure Mechanism of Solid Rocket Motor Propellant Due to Material and Geometric Effects — L. Wang, 37-39 (Sep/Oct).

Flaw Detection of Plasma-sprayed Coating by Holographic Vibration Stressing — T.Y. Chen, W.R. Wang, 27-28 (May/Jun).

High Temperature Resistant Gratings for Moiré Interferometry — A. Kearney, C. Forno, 9-12 (Nov/Dec).

High-cycle Spring Fatigue Test Machine — J.R. Michler, S.R.Bhonsle, 17-19 (Mar/Apr).

High-temperature, High-sensitivity Moiré Interferometry — R. Czarnek, J.J. Wu, S.Y. Lin, J. Lee, 29-33 (May/Jun).

Low Cost Inclinometer — J.T.P. Castro, R.D. Viera, J.L.F. Freire,38-40 (Jul/Aug).

Material Testing by Computer Aided Speckle Interferometry — Y.Y. Wang, D.J. Chen, F.P. Chiang, 30-32 (Sep/Oct).

Mode Decoupling Considerations in Mode Shape Measurements of a Plate with Monoexcitation and Laser Doppler Vibrometer — F.P.Sun, L.D. Mitchell, J.R.F. Arruda, 31-37 (Jul/Aug).

New Technique of Rapid Specimen Grating Making, Y.Kang, Y.Wang, Y. Jia, 31-32 (Nov/Dec).

Note on the Design of Home-made Clip-gages — J.T.P. Castro, 33-36 (Sep/Oct).

Optical Inspection of Defects — U. Isaev, A. Akaev, 19-21 (May/Jun).

Phase Shifting in Photoelasticity — A. Asundi, 19-23 (Jan/Feb).

Shear Difference Using Spreadsheets — P.B. Godbole, 24-25 (Jan/Feb).

Simplified Accelerometer System for Analysis of Human Gait — D.A. Farris, G.C. Urquizo, D.K. Beattie, T.O. Woods, D.G. Berghaus, 33-36 (Jan/Feb).

Simultaneous Measurement of U- and V-Displacement Fields by Moiré Interferometry — Z.K. Guo, A.S. Kobayashi, 21-23 (Sep/Oct).

Some Experimental Techniques to Detect Transition in Boundary Layer Flow — S.H. Winoto, D.A. Shah, S.G. Ang, M. Kamil bin Ishak, 25-29 (Sep/Oct).

Some Improvement on Digital Fringe-multiplication Methods — X. Liu, Q. Yu, 26-29 (Jan/Feb).

Strain Gages - Operating Characteristics — R.L. Hannah, R.T. Reese, 33-35 (Nov/Dec).

Two-dimensional Strain Analysis Using a Video Optical Diffractometer — J.C. Moulder, J.F. Cardenas-Garcia, 11-16 (Sep/Oct).

Use of Photostress to Characterize the Mechanical Behavior of Weldments — S.C. Gambrell, Jr., 15-18 (Jan/Feb).

Use of Thermal Stressing Technique in Holographic Detection of Coating Flaws — T.Y. Chen, W.R. Wang, 30-32 (Jan/Feb).

Use of Vacuum Pressure in Structural Testing — P.W. Khong, L.K. Seah, 26-27 (Mar/Apr).

Voltage-to-frequency Conversion for Telemetric Strain Measurements in Rotating Mechanical Systems — D.A.Hoeltzel, R. Stark, S.Ali, 18-24 (Jul/Aug).

Author Index

Akaev, A. — Optical Inspection of Defects, 19-21 (May/Jun).

Al-Harami, A.A. — Building a General Purpose Microcomputer-based Mechanical Measurement System, 34-37 (May/Jun).

Ali, S. — Voltage-to-frequency Conversion for Telemetric Strain Measurements in Rotating Mechanical Systems, 18-24 (Jul/Aug).

Ang, S.G. — Some Experimental Techniques to Detect Transition in Boundary Layer Flow, 25-29 (Sep/Oct).

Arruda, J.R.F. — Mode Decoupling Considerations in Mode Shape Measurements of a Plate with Monoexcitation and Laser Doppler Vibrometer, 31-37 (Jul/Aug).

Ashour, H.A. — Building a General Purpose Microcomputer-based Mechanical Measurement System, 34-37 (May/Jun).

Asundi, A. — Phase Shifting in Photoelasticity, 19-23 (Jan/Feb).

Beattie, D.K. — A Simplified Accelerometer System for Analysis of Human Gait, 33-36 (Jan/Feb).

Berghaus, D.G. — A Simplified Accelerometer System for Analysis of Human Gait, 33-36 (Jan/Feb).

Bhonsle, S.R. — High-cycle Fatigue Test Machining,17-19 (Mar/Apr).

Bremand, F. — Current Trends in Obtaining Deformation Data from Grids, 22-26 (May/Jun).

Cardenas-Garcia, J.F. — Two-dimensional Strain Analysis Using a Video Optical Diffractometer, 11-16 (Sep/Oct).

Castro, J.T.P. — A Low Cost Inclinometer, 38-40 (Jul/Aug).

Castro, J.T.P. — A Note on the Design of Home-made Clip-gages, 33-36 (Sep/Oct).

Castro, J.T.P.—A Circuit to Measure Crack Closure, 23-25 (Mar/Apr).

Chau, F.S. — Curvature Measurement of Hydroformed Axisymmetrical Shells Using Shearography, 27-29 (Nov/Dec).

Chen, T.Y. — Use of Thermal Stressing Technique in Holographic Detection of Coating Flaws, 30-32 (Jan/Feb).

Chen, T.Y. — Flaw Detection of Plasma-sprayed Coating by Holographic Vibration Stressing, 27-28 (May/Jun).

Chen, D.J. — Material Testing by Computer Aided Speckle Interferometry, 30-32 (Sep/Oct).

Chiang, F.P. — Material Testing by Computer Aided Speckle Interferometry, 30-32 (Sep/Oct).

Chou, C.P. — Brief Approach for Aluminum Alloy Materials in Ultra-high-speed Hole-drilling Technique, 17-19 (Sep/Oct).

Czarnek, R. — High-temperature, High-sensitivity Moiré Interferometry, 29-33 (May/Jun).

Deng, J. — Development of a Pressure Gage Based on Piezo Ceramic Material, 13-16 (May/Jun).

Farris, D.A. — A Simplified Accelerometer System for Analysis of Human Gait, 33-36 (Jan/Feb).

Forno, C. — High Temperature Resistant Gratings for Moiré Interferometry, 9-12 (Nov/Dec).

Freire, J.L.F. — A Low Cost Inclinometer, 38-40 (Jul/Aug).
Gambrell, Jr., S. C. — Use of Photostress to Characterize the Mechanical Behavior of Weldments, 15-18 (Jan/Feb).
Gåsvik, K.J. — Autocalibration of the Setup for the Projected Moiré-fringe Method, 36-40 (Mar/Apr).
Godbole, P. B. — Shear Difference Using Spreadsheets, 24-25 (Jan/Feb).
Guo, Z.K. — Simultaneous Measurement of U- and V-displacement Fields by Moiré Interferometry, 21-23 (Sep/Oct).
Haake, S.J. — Evaluation of Full Field Automated Photoelastic Analysis based on Phase Stepping, 19-25 (Nov/Dec).
Hannah, R.L. — Strain Gages - Operating Characteristics, 33-35 (Nov/Dec).
Hoeltzel, D.A. — Voltage-to-frequency Conversion for Telemetric Strain Measurements in Rotating Mechanical Systems, 18-24 (Jul/Aug).
Isaev, U. — Optical Inspection of Defects, 19-21 (May/Jun).
Jia, Y.—New Technique of Rapid Specimen Grating Making, 31-32 (Nov/Dec).
Kamil bin Ishak, M. — Some Experimental Techniques to Detect Transition in Boundary Layer Flow, 25-29 (Sep/Oct).
Kang, Y. — New Technique of Rapid Specimen Grating Making, 31-32 (Nov/Dec).
Kearney, A. — High Temperature Resistant Gratings for Moiré Interferometry, 9-12 (Nov/Dec).
Khong, P.W. — The Use of Vacuum Pressure in Structural Testing, 26-27 (Mar/Apr).
Kobayashi, A.S. — Simultaneous Measurement of U- and V-displacement Fields by Moiré Interferometry, 21-23 (Sep/Oct).
Kumme, R. — Dynamic Investigations of Force Transducers, 13-16 (Nov/Dec).
Lassila, D.H. — Dynamic Tensile Testing of Sheet Material Using the Split-hopkinson Bar Technique, 37-42 (Jan/Feb).
LeBlanc, M.M. — Dynamic Tensile Testing of Sheet Material Using the Split-hopkinson Bar Technique, 37-42 (Jan/Feb).
Lee, J. — High-temperature, High-sensitivity Moiré Interferometry, 29-33 (May/Jun).
Lin, S.Y. — High-temperature, High-sensitivity Moiré Interferometry, 29-33 (May/Jun).
Lin, Y.C. — Brief Approach for Aluminum Alloy Materials in Ultra-high-speed Hole-drilling Technique, 17-19 (Sep/Oct).
Liu, X. — Some Improvement on Digital Fringe-multiplication Methods, 26-29 (Jan/Feb).
Maiti, R. — Computer-aided Measurement of Flow with Rotameter, LDR and PC Interfacing, 28-30 (Mar/Apr).
Mannan, S.L. — Design and Fabrication of Silicon Carbide Split Furnace for High-speed Compression Tests up to 1573K, 36-40 (Mar/Apr).
Michler, J.R. — High-cycle Fatigue Test Machining, 17-19 (Mar/Apr).
Mitchell, L.D. — Mode Decoupling Considerations in Mode Shape Measurements of a Plate with Monoexcitation and Laser Doppler Vibrometer, 31-37 (Jul/Aug).
Moulder, J.C. — Two-dimensional Strain Analysis Using a Video Optical Diffractometer, 11-16 (Sep/Oct).
Nie, S. — Development of a Pressure Gage Based on Piezo Ceramic Material, 13-16 (May/Jun).
Pang, H.L.J. — Experimental Stress Analysis of Fatigue Cracks by SPATE, 20-22 (Mar/Apr).
Patterson, E.A. — Evaluation of Full Field Automated Photoelastic Analysis based on Phase Stepping, 19-25 (Nov/Dec).
Patton, B.R. — An Experimental Investigation of Viscoelastic Damping for Beam Type Accelerometers, 41-44 (Jul/Aug).
Persson, A. — Development of a Pressure Gage Based on Piezo Ceramic Material, 13-16 (May/Jun).
Prasad, Y.V.R.K. — Design and Fabrication of Silicon Carbide Split Furnace for High-speed Compression Tests up to 1573K, 36-40 (Mar/Apr).
Reese, R.T. — Strain Gages - Operating Characteristics, 33-35 (Nov/Dec).
Robbersmyr, G.K. — Autocalibration of the Setup for the Projected Moiré-fringe Method, 36-40 (Mar/Apr).
Rublah, A.A. — Building a General Purpose Microcomputer-based Mechanical Measurement System, 34-37 (May/Jun).
Sasidhara, S. — Design and Fabrication of Silicon Carbide Split Furnace for High-speed Compression Tests up to 1573K, 36-40 (Mar/Apr).
Seah, L.K. — The Use of Vacuum Pressure in Structural Testing, 26-27 (Mar/Apr).
Sevenhuijsen, P.J. — Current Trends in Obtaining Deformation Data from Grids, 22-26 (May/Jun).
Shah, D.A. — Some Experimental Techniques to Detect Transition in Boundary Layer Flow, 25-29 (Sep/Oct).
Shang, H.M. — Determination of Stress-strain Relationship of Sheet Metal Under Biaxial Tension, 32-35 (Mar/Apr).
Shang, H.M. — Curvature Measurement of Hydroformed Axisymmetrical Shells Using Shearography, 27-29 (Nov/Dec).
Shit, S.K. — Determination of Stress-strain Relationship of Sheet Metal Under Biaxial Tension, 32-35 (Mar/Apr).
Sirkis, J.S. — Current Trends in Obtaining Deformation Data from Grids, 22-26 (May/Jun).
Stark, R. — Voltage-to-frequency Conversion for Telemetric Strain Measurements in Rotating Mechanical Systems, 18-24 (Jul/Aug).
Stenger, G.J. — A Device for Implementing the Strain Gage-hole Drilling Method of Residual Stress Measurement on Aircraft Transparencies, 25-30 (Jul/Aug).
Sun, F.P. — Mode Decoupling Considerations in Mode Shape Measurements of a Plate with Monoexcitation and Laser Doppler Vibrometer, 31-37 (Jul/Aug).
Tay, C.J. — Determination of Stress-strain Relationship of Sheet Metal Under Biaxial Tension, 32-35 (Mar/Apr).
Tay, C.J. — Curvature Measurement of Hydroformed Axisymmetrical Shells Using Shearography, 27-29 (Nov/Dec).
Toh, S.L. — Curvature Measurement of Hydroformed Axisymmetrical Shells Using Shearography, 27-29 (Nov/Dec).
Urquizo, G.C. — A Simplified Accelerometer System for Analysis of Human Gait, 33-36 (Jan/Feb).
Venugopal, S. — Design and Fabrication of Silicon Carbide Split Furnace for High-speed Compression Tests up to 1573K, 36-40 (Mar/Apr).
Viera, R.D. — A Low Cost Inclinometer, 38-40 (Jul/Aug).
Wang, W. R. — Use of Thermal Stressing Technique in Holographic Detection of Coating Flaws, 30-32 (Jan/Feb).
Wang, W.R. — Flaw Detection of Plasma-sprayed Coating by Holographic Vibration Stressing, 27-28 (May/Jun).
Wang, L. — Experimental Study on Failure Mechanism of Solid Rocket Motor Propellant Due to Material and Geometric Effects, 37-39 (Sep/Oct).
Wang, Y.Y. — Material Testing by Computer Aided Speckle Interferometry, 30-32 (Sep/Oct).
Wang, Y. — New Technique of Rapid Specimen Grating Making, 31-32 (Nov/Dec).
Wang, Z.F. — Evaluation of Full Field Automated Photoelastic Analysis based on Phase Stepping, 19-25 (Nov/Dec).
Whitney, T.J. — A Device for Implementing the Strain Gage-hole Drilling Method of Residual Stress Measurement on Aircraft Transparencies, 25-30 (Jul/Aug).
Winoto, S.H. — Some Experimental Techniques to Detect Transition in Boundary Layer Flow, 25-29 (Sep/Oct).
Woods, T.O. — A Simplified Accelerometer System for Analysis of Human Gait, 33-36 (Jan/Feb).
Wu, J.J. — High-temperature, High-sensitivity Moiré Interferometry, 29-33 (May/Jun).
Yu, Q. — Some Improvement on Digital Fringe-multiplication Methods, 26-29 (Jan/Feb).